

TOTO[®]
you + water

New Products
Spring 2010





Table of Contents

Spring 2010 New Product Releases

| | | | |
|---------------------------------------|----|-----------------------------------|----|
| Nexus® Skirted Cast-Iron Bathtub..... | 8 | Neorest® II Lavatory Faucet | 19 |
| Soirée® Freestanding Bathtub..... | 8 | Low Lead Faucets | 20 |
| Aquia® Wall-Hung Toilet | 10 | High-Efficiency Showers..... | 21 |
| Luminist™ Lavatories..... | 12 | Product Index..... | 23 |
| Waza™ Undercounter Lavatories | 14 | | |
| Supreme® II Toilet | 16 | | |
| Carolina® II Toilet | 16 | | |
| Carlyle® II Toilet..... | 17 | | |
| Vespin® II Toilet | 17 | | |
| Commercial Wall-Hung Toilet..... | 17 | | |
| Aquia® Universal Height Toilet | 18 | | |

Icon Key



DOUBLE CYCLONE®
Double cyclone indicates the cleanest and most powerful flushing system for HETs available on the market today.



E-MAX®
E-Max indicates high performance, HET flushing technology with a wide flush valve, large trapway and extra-large syphon jet.



G-MAX®
G-Max indicates a flawless, quiet and powerful flushing system with gravity-fed boost to performance.



DUAL-MAX®
Dual Max indicates a dual flushing system that optimizes conservation by allowing you to select 0.9 or 1.6 GPF.



SANAGLOSS®
SanaGloss glaze prevents debris, mold and bacteria from sticking to ceramic surfaces, leading to fewer chemicals and less water in cleaning.



ECOPOWER®
EcoPower indicates sensor faucets and sensor Flushometer valves that are powered by flowing water.



SMA THERMOSTATIC VALVE TECHNOLOGY
Thermostatic valve that features Shape Memory Alloy (SMA) technology for reliability and maintaining consistent water temperature.



SKIRTED DESIGN
Skirted Design indicates toilets featuring TOTO's 10", 12", and 14" Unfit Rough-In and concealed trapway design.



UNIVERSAL HEIGHT
Universal Height indicates toilets that allow for a more comfortable position across a wide range of users.



ADA
Product complies with Americans with Disabilities Act accessibility guidelines.



WATERSENSESM
Products that meet the EPA standards for water efficiency and performance criteria. Toilets are 1.28 GPF or less. Faucets are 1.5 GPM.



LOW LEAD
Indicates products that contain less than one quarter of one percent (0.25%) lead by weighted average and applies to any surface of the product that touches water.



The world has changed.

Pretty is no longer enough.

Standard is no longer enough.

The world wants more.

I want more.





I want

PERFORMANCE WITH PURPOSE.

DESIGN WITH A CONSCIENCE.

INNOVATION WITH A HEART.

QUALITY YOU CAN FEEL.

Today, most bath products do their job pretty well. But just showing up for work isn't enough anymore. You want fixtures that save money and water without sacrificing an ounce of performance. And the peace of mind that comes from knowing you bought a brand that sets the standards for world-class performance, enduring quality and reliability. And, of course, you want fixtures that can do it all with effortless beauty. That's what TOTO is really all about – connecting you with water in ways that enrich the flow of your everyday life. It's our passion. It's our mission. And it's pure TOTO.

QUALITY

ENDURING QUALITY

All TOTO products pass multiple performance tests to ensure quality, reliability and customer satisfaction. But what really matters is knowing that you'll feel just as good about your decision to buy TOTO next year, and the years after, as you do today.

WORLD-CLASS PERFORMANCE

With more "firsts" than anyone else, TOTO leads the world in innovating products that simply perform better. That means peace of mind, knowing that your TOTO fixtures will perform at the highest level, day in and day out, year after year, and look beautiful doing it.

PERFORMANCE



ENLIGHTENED DESIGN

TOTO showers, toilets and faucets can save 20-63% on water usage bills. You use less water and save money without losing an ounce of performance. And TOTO is the only plumbing manufacturer to receive the EPA's Water Efficiency Leader Award.

DESIGN

REAL HUMAN VALUE

The day you install TOTO is the day you start saving with TOTO. Because with every use, you save money and water, while gaining something of real human value – the confidence that comes with buying the right product for all the right reasons.

VALUE

TOTO[®]
you + water

Nexus® Freestanding Cast-Iron Bathtub

FBF794S

The new free-standing bathtub for the Nexus suite unites design and comfort. The outside of the cast tub rises in smooth, almost vertical lines from the floor, lending an aura of sculpture to its presence. On the inside, the transition into a gentle slope invites users to relax and rejuvenate. The cast-iron construction with a durable acrylic skirt ensures a lifetime of worry-free use, while the understated transitional design makes the bathtub perfect for a variety of environments.

A free-standing tub also adds convenience and flexibility. The tub is easy to clean because it is accessible from all sides, and because you are not limited to installing in a corner, it also lends itself to more layout possibilities for your bathroom.



#01
COTTON



#CP
Polished Chrome



#BN
LifeKoat™
Brushed Nickel



Soirée® Freestanding Bathtub

ABF964N

With its geometric shape and silky clean lines, the Soirée freestanding bathtub makes a bold statement of contemporary beauty. The soaking tub offers plenty of space for bathers that look forward to relaxing at the end of the day, and you definitely will appreciate the tapered design when wanting to stretch out and wash away the day's stress.

There is ample room for resting your arms with its slightly angled inner sides, which also adds to the modern appeal of the design. For a true spa-like experience, the tub is large enough for total-body immersion, and the freestanding style allows you to really make a dramatic space for your home.



#01
COTTON



#12
SEDONA BEIGE



#CP
Polished Chrome



#BN
LifeKoat™
Brushed Nickel



#PN
LifeKoat™
Polished Nickel



Soirée® Freestanding Bathtub



Aquia® Wall-Hung Toilet
CT418FG



Featuring a high-efficiency dual-flushing system, the wall-hung Aquia optimizes water usage by allowing users to choose between 0.9 GPF for liquid waste or 1.6 GPF for solid waste. It also saves space...9 inches in total...and makes cleaning easier since the tank is behind the wall and the toilet is mounted above the floor.

With a stylish flush plate, the Aquia wall-hung toilet offers a chic, metropolitan option that is at home in a variety of bath settings.





Most elongated models of the Washlet® can also be installed. (not S400)



TOTO Dual-Flush In-Wall Tank System

- 0.9/1.6 gpf dual flush - Decorative push plates sold separately
- Installs in 2" x 4" or 2" x 6" wall—perfect for both residential and commercial applications
- Insulated tank resists internal condensation, one-piece design eliminates leak points
- Mounting of bowl rim height adjustable from 15" -19"
- PVC & Cast Iron outlets available (PVC only for 2" x 4" install)
- Supports up to 880 lbs.
- Washlet water outlet standard for easy connection. (Washlet sold separately)



* In-Wall Tank System available Q3

How is the frame attached?

The frame is bolted to the studs in the wall. Bracing above the carrier, between the studs, is recommended. Rough-in dimensions are available on specification sheet available on www.totousa.com.

What if the tank components need service after installation?

The fill valve and flush valve can be removed for service at anytime after installation through the access port, located behind the dual-flush control panel.

How can I be sure the tank will not leak?


The plastic tanks are blow-molded from durable Polyethylene and are pressure-tested to ensure a leak-free installation. There are no tank seams or threaded supply connections beneath the water line. In the unlikely case that the fill or flush valve should develop a leak, water will drain into the bowl and overflow into the waste connection, ensuring safety and peace of mind.

How is the water supply line connected to the tank?

The supply line runs along the wall stud on either side of the frame and connects via a standard ½" supply threaded fitting to the top of the tank. The connection then continues internally from the top of the tank to the fill valve via a supplied flexible hose.



Luminist™ Lighted Lavatories



Luminist™ Lavatories

LLT150, LLT151



Luminist is TOTO's custom material that combines the translucence of glass with exceptional impact and heat resistance. These qualities enable TOTO to craft lavatories that are not only supremely durable, opening up possibilities for a range of relaxing environments.

Luminist belongs to a family of materials—epoxy resins—that are more commonly found in airplane wings than bathrooms, due to its exceptional physical qualities and ability to withstand high temperatures and impacts. With soft translucence, however, this hard material seems soft and light. The lavatories appear to glow from within when lit, and when unlit, they still appear to provide a muted luminosity that stands out in any bathroom.

Luminist™ Lighted Lavatories

LLT152



Lighted lavatories with Luminist material create a soothing ambience, and the LED lighting system that comes with the product is very easy to use. You can turn the light on and off at the power source, which mounts discretely under your countertop. The long-lasting light can even be wired so you can control the lighting with your normal light switch.



Waza™ Undercounter Lavatories

Inspired by classic design masterpieces, TOTO's new Waza lavatories project elegance without over-complication. The three designs are unique, but also very versatile if you want to add a traditional or more modern charm to your bathroom. Baked into the China, the designs are a permanent illustration of how good design never goes out of style.

Waza™ Barocco™ Undercounter Lavatory

LT641#01-NA

Based by Baroque designs the represented wealth and subtle refinement, this design is often seen in the delicate stitching of wedding dresses.

- 18-3/4" x 13-3/4" Undercounter lavatory with mounting hardware template
- Oval design for undercounter installation
- Front or rear overflow
- Mounting assembly complete with installation template and mounting screw set



Waza™ Sultana™ Undercounter Lavatory

LT624#01-NB




"New Moorish" designs gained popularity in early 19th century America and can be seen in this adaptable design, which can complement traditional or contemporary settings.

- 17" x 15"
- Rimless, design for undercounter installation
- Rear overflow
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set



#01
COTTON



Waza™ Tiraz™ Undercounter Lavatory

LT624#01-NC




The word "tiraz" can be traced back to early Persian textiles, which are some of the most influential in history. Waza Tiraz updates these early styles with a more contemporary flare.

- 17" x 15"
- Rimless, design for undercounter installation
- Rear overflow
- Vitreous china
- Mounting assembly complete with installation template and mounting screw set



#01
COTTON



New High-Efficiency Toilets

TOTO's new high-efficiency toilets (HETs) incorporate the Double Cyclone flushing system, which delivers the most effective 1.28 GPF performance for the best customer satisfaction. The Double Cyclone system also works without rim holes, so there are fewer places for debris to collect, leading to easier cleaning and consistent performance. Using 20% less water than traditional 1.6 GPF models, these products save water and money while providing TOTO's legendary quality for customer satisfaction. SanaGloss® glaze prevents mold and debris from forming on the ceramic surfaces, resulting in less cleaning and fewer harsh cleaning liquids that can be expensive and harm the environment.

The new models also represent a range of styles to complement the design-oriented home. From sleek one-piece toilets with a low profile tank to the more transitional two-piece look of the Vespin II, these new toilets increase TOTO's selection of products that truly define value with quality, high-efficiency, performance and today's best innovation.

Supreme® II Toilet

MS634164CEF(G)



- Double Cyclone® flushing system, low consumption (1.28GPF/4.8LPF)
- SanaGloss® ceramic glaze (not available on Ebony #51)
- Universal Height
- Decorative one-piece design with low-profile tank
- Elongated front bowl with SoftClose® seat (SS164)
- 12" rough-in
- Chrome trip lever standard, other finishes available



Carolina® II Toilet

MS644164CEF(G)



- Double Cyclone® flushing system, low consumption (1.28GPF/4.8LPF)
- Decorative skirted design, easy to clean
- SanaGloss® ceramic glaze (not available on Ebony #51)
- Universal Height
- Decorative one-piece design with low-profile tank
- Elongated front bowl with SoftClose® seat (SS164)
- 12" Unifit rough-in included
- Chrome trip lever standard, other finishes available



Carlyle® II Toilet

MS614164CEF(G)



- Double Cyclone® flushing system, low consumption (1.28GPF/4.8LPF)
- Decorative skirted design, easy to clean
- SanaGloss® ceramic glaze (not available on Ebony #51)
- Universal Height
- Decorative one-piece design with high-profile tank
- Elongated front bowl with SoftClose® seat (SS164)
- 12" Unifit rough-in included
- Chrome trip lever standard, other finishes available



Vespin® II Toilet

CST474CEF(G)



- Double Cyclone® flushing system, low consumption (1.28GPF/4.8LPF)
- Decorative skirted design, easy to clean
- SanaGloss® ceramic glaze (not available on Ebony #51)
- Universal Height
- Decorative two-piece design with high-profile tank
- Elongated front bowl and tank set, less seat
- 12" UniFit® Rough-in included
- Chrome trip lever standard, other finishes available



Commercial Wall-Mounted Flushometer Toilet

CT708E(V)G



- SanaGloss® ceramic glaze now available
- Can be mounted at Universal Height
- Elongated front bowl, less seat





Aquia® Universal Height Toilet

CST412MF, CST412MF.10

TOTO's new Aquia toilet is a simple addition that adds much more comfort and installation flexibility to the Aquia line of toilets. The new product features Universal Height dimensions, making it a perfect choice for any home or commercial property where users vary in size or needs. The new Aquia also features 10-inch and 12-inch rough-in options, which is especially important for project flexibility.



The TOTO Dual-Max flushing system is a perfect marriage of performance and conservation. An integrated control allows you to select the appropriate amount of water usage—from 0.9 GPF for liquid waste to 1.6 GPF for solid waste. With one heavy flush and two light flushes per day, this averages out to be below even current high-efficiency standards, or 1.13 gallons-per-flush, per day.



#01 - Cotton only on CST412MF.10

Neorest® II Lavatory Faucet


TL993SE



The Neorest II faucet and control evolve conventional faucet style and functionality into the best of modern luxury. With a sleek and slender spout, the faucet looks more like a work of art. The very minimalist profile is reinforced by the way the faucet itself seems to flow from the countertop.

The faucet control is one of the more unique elements of the faucet system. It emits a tranquil glow that comes from beneath the control to indicate the temperature of the water. When turned entirely toward the hot temperature setting, the light turns completely red; when turned to cold, the light will change to blue. As you rotate the control, which turns on the water with a light push, the color goes through gradients to indicate whether you are going toward hot or cold.

The advanced technology of the control also allows for two flow rates: 2.0 GPM for regular flow and 1.35 GPM for high efficiency. The high-efficiency flow can be used simply by pushing and holding the button down, a convenient feature when you just want a splash of water to wash a toothbrush or fill a glass. The faucet features a Shape Memory Alloy (SMA) valve to maintain constant water temperature and uses low-lead materials.



New High Efficiency Low-Lead Faucets



TOTO high-efficiency faucets (HEF) bring style, reliability and water conservation to your bath space. Each TOTO HEF is designed to meet the criteria of the EPA's WaterSensesm program and is WaterSense certified. TOTO also utilizes a new aerator design to optimize flow, resulting in no discernable difference between 1.5 GPM and common 2.2 GPM faucets.



Soirée[®] Single-Handle Lavatory Faucet
TL960SDLQ#CP, #BN, #PN



Soirée[®] Widespread Lavatory Faucet
TL960DDLQ#CP, #BN, #PN




Guinevere[®] Widespread Lavatory Faucet - Cross Handles
TL970DDLQ#CP, #BN, #PN



Guinevere[®] Widespread Lavatory Faucet - Lever Handles
TL970DDLQ#CP, #BN, #PN



Guinevere[®] Single-Handle Lavatory Faucet
TL970SDLQ#CP, #BN, #PN



Lloyd[®] Widespread Lavatory Faucet
TL930DDLQ#CP, #BN, #PN



Kiwami[™] Renesse[™] Widespread Lavatory Faucet
TL170DDLQ#CP, TL170DDALQ#CP




Kiwami[™] Renesse[™] Single-Handle Lavatory Faucet
TL170SDLQ#CP, TL170SDALQ#CP

*Beginning in January 2010, California AB1953 and Vermont S152 laws will limit the amount of lead used in the manufacturing of faucet components. TOTO low-lead faucets exceed the new specifications with less than one quarter of one percent (0.25%) lead by weighted average and applies to any surface of the product that touches water.



TOTO High-Efficiency Faucet Water Savings:

Using only 1.5 GPM saves you 32% on water usage/bills over common 2.2 GPM models.



Based on a daily per capita usage of 8.1 minutes.
Assuming an average household of 3.2 people over 365 days.

New High Efficiency Showerheads

The daily shower is one of our most cherished times in today's hectic world. We use it to relax, rejuvenate or perhaps just wake up. With TOTO's specially engineered high-efficiency showers (HES), you don't sacrifice performance but enjoy 30% water savings. TOTO also offers a wide variety of HES designs to add both style and value to your home.



Guinevere
TS970AL




Lloyd
TS930AL



Nexus
TS794AL

New High-Efficiency Handshowers

TOTO High-Efficiency Shower Water Savings:
Using only 1.75 GPM saves you 30% on water usage/bills over common 2.5 GPM models.



Based on a daily per capita usage of 8 minutes. Assuming an average household of 3.2 people over 365 days.

*Source: Consumer Report May 22, 2007



Guinevere
TS970F1L



Trilogy®
TS100F2L




Guinevere® Shower

Index of Spring 2010 Products

| PART NUMBER | PRODUCT NAME | COLORS/FINISHES AVAILABLE |
|----------------|---|---------------------------|
| ABF964 | Soiree Freestanding Bathtub | 01 |
| CST412MF | Aquia Universal Height Toilet | 01, 03, 11, 12, 51 |
| CST412MF.10 | Aquia Universal Height Toilet - 10" Rough-in | 01 |
| CST474CEF(G) | Vespin II High-Efficiency 2-pc Toilet | 01, 03, 11, 12, 51 |
| CT418FG | Aquia Wall-Hung Toilet | 01 |
| CT708E(V)G | Commercial Wall-Hung Toilet - with SanaGloss | 01 |
| FBF794S | Nexus Freestanding Cast Iron Bathtub | 01DCP, 01DBN |
| LLT150 | Luminist Round Vessel Lavatory | 61 |
| LLT151 | Luminist Rectangular Vessel Lavatory | 61 |
| LLT152 | Luminist Round Vessel Lavatory - Lighted Version | 63-BL, 63-WH |
| LT624 | Waza Sultana Undercounter Lavatory | 01-NB |
| LT624 | Waza Tiraz Undercounter Lavatory | 01-NC |
| LT641 | Waza Barocco Undercounter Lavatory | 01-NA |
| MS614164CEF(G) | Carlyle II High-Efficiency 1-pc Toilet | 01, 03, 11, 12, 51* |
| MS634164CEF(G) | Supreme II High-Efficiency 1-pc Toilet | 01, 03, 11, 12, 51* |
| MS644164CEF(G) | Carolina II High-Efficiency 1-pc Toilet | 01, 03, 11, 12, 51* |
| TL170DDALQ | Kiwami Renesse Widespread Lav Faucet w/o Pop Up - Low-lead | CP |
| TL170DDLQ | Kiwami Renesse Widespread Lav Faucet w/ Pop Up - Low-lead | CP |
| TL170SDALQ | Kiwami Renesse Single-Handle Lav Faucet w/o Pop Up - Low-lead | CP |
| TL170SDLQ | Kiwami Renesse Single-Handle Lav Faucet w/ Pop Up - Low-lead | CP |
| TL794DDLQ | Nexus Widespread Lav Faucet, 1.5 GPM | CP, BN, PN |
| TL930DDLQ | Lloyd Widespread Lav Faucet, 1.5 GPM - Low-lead | CP, BN, PN |
| TL960DDLQ | Soiree Widespread Lav Faucet, 1.5 GPM - Low-lead | CP, BN, PN |
| TL960SDLQ | Soiree Single-Handle Lav Faucet, 1.5 GPM - Low-lead | CP, BN, PN |
| TL970DD1LQ | Guinevere Widespread Lav Faucet, 1.5 GPM (ADA) - Low-lead | CP, BN, PN |
| TL970DDLQ | Guinevere Widespread Lav Faucet, 1.5 GPM - Low-lead | CP, BN, PN |
| TL970SDLQ | Guinevere Single-Handle Lav Faucet, 1.5 GPM - Low-lead | CP, BN, PN |
| TL993SE | Neorest II Lavatory Faucet | CP |
| TS100F2L | Trilogy Handshower | CP, BN, PN |
| TS794AL | Nexus High-Efficiency Showerhead with Arm | CP, BN, PN |
| TS930AL | Lloyd High-Efficiency Showerhead with Arm | CP, BN, PN |
| TS970AL | Guinevere High-Efficiency Showerhead with Arm | CP |
| TS970F1L | Guinevere Handshower Set with Lever Handle (ADA) | CP |

* Please note: SanaGloss not available on #51 Ebony



COLORS/FINISHES

| | | | | | | | |
|----|----------------|----|---------------|----|---------------|----|-----------------|
| 01 | Cotton White | 12 | Sedona Beige | 63 | Angelic White | CP | Polished Chrome |
| 03 | Bone | 51 | Ebony | | | BN | Brushed Nickel |
| 11 | Colonial White | 61 | Frosted White | | | PN | Polished Nickel |

TOTO[®]

TOTO U.S.A., INC.
1155 SOUTHERN ROAD
MORROW, GA 30260
800-350-8686

www.totousa.com

#K042010
Printed in U.S.A. 04/2010